

SONIQ

Technical Specification

SONIQ acoustic panels

Upholstered components:

Sawn timber outer frame fastened to a HDF board. 3 cm acoustic filling inside the frame – poroso felt. Upholstered with MURA, PETRUS or WOOL fabric. Edging – black 8 mm string.

Upholstery:

✓ HAITI


Weight: 220 g/m²
Composition: 100% polyester
Abrasion resistance: 100 000
Martindale cycles (EN ISO 12947-2)
- pilling resistance: 5
(EN ISO12945-2)

✓ PETRUS

Weight: 389 g/m²
Composition: 100% polyester
Abrasion resistance: 80,000
Martindale cycles (EN ISO 12947-2)
- light resistance: 3-4
(EN ISO 105-BO2)

✓ WOOL

- Weight: 325 g/m²
- Composition: 70% wool (WO), 20% polyester (PL), 5% polyamide (PA), 5% other fabrics (AF)
- Abrasion resistance: 100,000
Martindale cycles (EN ISO 12947-2)
- Resistance to rubbing (ISO105 – X12):
wet 4/5; dry: 4/5
- Light resistance: 4
(EN ISO 105-BO2)
- Low ignitability– cigarette and match flame
(BS-EN 1021- 1 and 2); (BS 5852 - 0 and 1)



Test results with
PN-EN ISO 354: 2005
standard


Sound absorption indicator -
(α_w) 0.60

Absorption class - C

Mounting feet:

Made of bent 4 mm powder-coated metal sheet.



Two versions: fixed or mobile with round stainless steel rollers.







Brackets/holders:

Brackets made of bent 2 mm powder-coated metal sheet.


Holders made of bent 2 mm powder-coated metal sheet.



Available colours




ACCESSORIES			
			
JBS	JMJ	JAN	JCZ

FABRIC									
HAITI FABRIC									
									
TMH	TBH	TUH	TNH	TFH	TPH	TRH	THH	TZH	TDH
									
TCH	TGH								

FABRIC									
PETRUS FABRIC									
									
TMT	TCS	TER	TWN	TAG	TGA	TKI	TNX	TNT	TCE
									
TDM	TDK								













FABRIC									
WOOL FABRIC									
									
TOR	TCA	TBI	TDU	THY	THI	TSI	TPE	TGR	TON
									
TLI	TWO	TTE	TFI	TFU	TPL	TEG	TIN	TEM	TCL
									
TPC	TRC	TST	TMS	TSN	TTM	TSG	TJA		

System products

 net weight - kg
  volume - m³
 number of packages - pcs













ACOUSTIC PANEL






[W x D x H]				INDEX		
600x55x1100				SON-TT-601		
			11,27 kg	0,042 m ³	1	
600x55x1400				SON-TT-602		
			12,58 kg	0,051 m ³	1	
600x55x1600				SON-TT-603		
			13,62 kg	0.058 m ³	1	
600x55x1800				SON-TT-604		
			14,66 kg	0,066 m ³	1	

ACOUSTIC PANEL















[W x D x H]				INDEX		
700x55x1100				SON-TT-611		
			12,66 kg	0,049 m ³	1	
700x55x1400				SON-TT-612		
			14,14 kg	0,059 m ³	1	
700x55x1600				SON-TT-613		
			15,26 kg	0,068 m ³	1	
700x55x1800				SON-TT-614		
			16,37 kg	0,076 m ³	1	

 net weight - kg  volume - m³  number of packages - pcs













ACOUSTIC PANEL






[W x D x H]			INDEX		
760x55x1100			SON-TT-631		
			13,47 kg	0,053 m ³	1
760x55x1400			SON-TT-632		
			14,92 kg	0,064 m ³	1
760x55x1600			SON-TT-633		
			16,07 kg	0,074 m ³	1
760x55x1800			SON-TT-634		
			17,23 kg	0,083 m ³	1

ACOUSTIC PANEL















[W x D x H]			INDEX		
800x55x1100			SON-TT-621		
			14,21 kg	0,056 m ³	1
800x55x1400			SON-TT-622		
			15,70 kg	0,068 m ³	1
800x55x1600			SON-TT-623		
			16,88 kg	0,078 m ³	1
800x55x1800			SON-TT-624		
			18,08 kg	0,087 m ³	1








 net weight - kg
  volume - m³
  number of packages – pcs





ACOUSTIC PANEL



[W x D x H]			INDEX		
860x55x1100			SON-TT-641		
			14,94 kg	0,060 m ³	1
860x55x1400			SON-TT-642		
			16,48 kg	0,073 m ³	1
860x55x1600			SON-TT-643		
			17,70 kg	0,083 m ³	1
860x55x1800			SON-TT-644		
			18,94 kg	0,094 m ³	1

Accessories

BRACKETS/HOLDERS				MOUNTING FEET			
	[W x D x H]	INDEX	COLOUR		[W x D x H]	INDEX	COLOUR
	120 x 57 x 120	AKC-IN-316	JBS JMJ JAN JCZ		380 x 80 x 240	AKC-IN-318	JBS JMJ JAN JCZ
	120 x 62 x 117	AKC-IN-317			380 x 80 x 260	AKC-IN-319	
	78 x 64 x 50	AKC-IN-308			120 x 58 x 65	AKC-IN-320	
	118 x 64 x 50	AKC-IN-307					

HANGING ACCESSORIES			
	[W x D x H]	INDEX	COLOUR
	100 x 100 x 157	AKC-IN-321	JBS JMJ JAN JCZ
	222 x 217 x 250	AKC-IN-322	
	104 x 100 x 87	AKC-IN-323	
	100 x 107 x 50	AKC-IN-324	